



Specifications Noxion LED Panel Delta Pro Pronox V3.0 30W 3960lm - 830 Warm White | 120x30cm - UGR <19 - Dali Dimmable

[View Product](#)

## General Information

|                      |                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------|
| SKU                  | 240370                                                                                             |
| EAN                  | 8719157021692                                                                                      |
| Manufacturer Code    | 8719157021692                                                                                      |
| Brand                | Noxion                                                                                             |
| Manufacturer Name    | Noxion LED Panel Delta Pro V3 DALI 30W 3000K 3960lm 30x120cm UGR <19   Warm White - Replaces 2x36W |
| Budgetlight warranty | 6 Years                                                                                            |
| Average Lifetime (h) | 50000                                                                                              |
| Product Serie        | Delta Pro                                                                                          |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x36            |
| Wattage                     | 30W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Yes, Dali       |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light Colour Options        | Single Color    |

|                        |                        |
|------------------------|------------------------|
| Luminous Flux (Lumen)  | 3960lm                 |
| Lumen per watt         | 132                    |
| IP-rating              | IP20                   |
| Impact Protection (IK) | IK03 - 0.35 joule      |
| Fixture Connection     | PI [Push-in connector] |
| Afwerking Reflector    | Frosted                |
| Inclusief Driver       | Yes                    |
| Powerfactor            | >0.90                  |
| Type product           | LED Panel              |

## Fixture Information

---

|                       |                                |
|-----------------------|--------------------------------|
| Mounting Method       | Recessed                       |
| Unified Glare Rating  | < 19 - For offices             |
| Optische Afdekking    | PMMA (Polymethyl methacrylate) |
| Bedrijfstemperatuur   | -10 to +40                     |
| Emergency Lighting    | No                             |
| Colour of the Fixture | White                          |
| Housing               | Aluminium                      |
| Colour of material    | White                          |

## Dimensions

---

|                       |          |
|-----------------------|----------|
| Afmetingen LED Paneel | 120x30cm |
| Length (mm)           | 1200     |
| Width (mm)            | 300      |
| Height (mm)           | 42       |

## Sensor Information

---

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**